

FIG. 1




FIG. 2




FIG. 3

PORTABLE TELEPHONE

USER SUPPORT SERVER OF  
INVERTER MAKER





FIG. 4



PORTABLE TELEPHONE

USER SUPPORT SERVER OF  
INVERTER MAKER





FIG. 6

USER/INVERTER

PORTABLE TELEPHONE



F0041704-083001

FIG. 7 PORTABLE TELEPHONE

USER SUPPORT SERVER OF  
INVERTER MAKER






FIG. 8



10944704-083001



FIG. 9



TOP SECRET

FIG. 10

DATABASE OF USER SUPPORT SERVER									
MANUFACTURES/SALES HISTORICAL INFORMATION				ACCEPTANCE INFORMATION		TROUBLE SHOOTING INFORMATION			
ONE ITEM PER ONE INVERTER				ONE ITEM PER ONE ACCEPTANCE		SOLVING METHOD PER ONE ITEM			
SERIAL NUMBER				SERIAL NUMBER					
USAGE				SALES					
PURCHASED DATA				SALES					
MANUFACTURE LOT				MANUFACTURE					
MANUFACTURE NUMBER				MANUFACTURE					
REMARKS (RECALL AND SO ON)									
MACHINE SORT CODE						MACHINE SORT CODE			

11/16

FIG. 11A

33 2

HITACHI INVERTERS L200/SJ200  
CONTROL

0000

OFF-LINE ON-LINE

SERIAL NUMBER OF INVERTER USED BY  
CUSTOMER IS "MFG : 123-45567"

DISCONNECT CABLE FROM PORTABLE  
TELEPHONE, AND CONNECT TO USER  
SUPPORT CENTER

ADVANCE RETURN

FIG. 11B

34 2

HITACHI INVERTERS L200/SJ200  
CONTROL

0000

OFF-LINE ON-LINE

INVERTER USED BY CUSTOMER IS  
"MFG : 123-45567" 3  $\phi$  200V 0.2kW  
FAN (0.2 KW) SPEED CONTROL USE  
NAME OF CUSTOMER : HITACHI TECHNO PLANT (K. K)  
CONTACT DESTINATION : 03-3XXX-XXXX

ADVANCE RETURN

12/16

FIG. 12A

35

HITACHI INVERTERS L200/SJ200  
CONTROL

0000

OFF-LINE ON-LINE

OVERVOLTAGE (OV) TRIP DURING SPEED DOWN,  
PRESENTLY-SET REDUCTION TIME [1.5S] MAY BE  
CONCEIVED THAT THIS TIME IS SHORT FOR LOAD,  
SET REDUCTION TIME BY TWICE [3.0S] FOR TRIAL  
OPERATION?

1. YES

2. RETURN

FIG. 12B

36

HITACHI INVERTERS L200/SJ200  
CONTROL

0000

OFF-LINE ON-LINE

REDUCTION TIME [F03] IS SET FROM [1.5S] TO TWICE [3.0S]  
CONFIRM NO RISK BY ROTATING CONNECTED MOTOR,  
AND DEPRESS "RUN" BUTTON

1. YES

2. RETURN

FIG. 13A

37

SELECTION HITACHI  
INVERTER

THANK YOU FOR SELECTING HITACHI INVERTER

OFF-LINE ☒ ON-LINE

SELECT USAGE

1. FAN/PUMP

2. DRIVE/CART

3. HORIZONTAL CONVEYER

☒ ADVANCE ☐ RETURN

FIG. 13B

38

SELECTION HITACHI  
INVERTER

THANK YOU FOR SELECTING HITACHI INVERTER

OFF-LINE ☒ ON-LINE

INVERTER FITTED TO YOUR USAGE : L200-022LFR

LIFETIME PREDICTED FROM OPERATION  
PATTERN: 7 YEARS

PRICE: ¥120,000

PURCHASE ORDER?

☒ YES ☐ NO

FOOEEB"40214660

FIG. 14A




FIG. 14B




FIG. 15




FIG. 16A




FIG. 16B

